

## United States Patent and Trademark Office

UNITED SPATES DEPARTMENT OF COMMERCE United States Pyreps and Trademark Office Address: COMMISSIONER FOR PATENTS P.Q. Bax 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.		FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/086,104		02/26/2002	James Roskind	AOL0022	2741	
22862	7590	12/13/2005		EXAMINER		
GLENN P				ZIA, SYED		
3475 EDIS MENLO P.				ART UNIT	PAPER NUMBER	
	<b>,</b>			2131		
				DATE MAILED: 12/13/2005		

Please find below and/or attached an Office communication concerning this application or proceeding.

		App	lication No.	Applicant(s)				
Office Action Summary			086,104	ROSKIND ET AL.				
			miner	Art Unit				
		Syed	d Zia	2131				
Period fo	The MAILING DATE of this communion Reply	cation appears o	on the cover sheet w	ith the correspondence ad	dress			
A SH WHIC - Exte after - If NC - Failu Any	ORTENED STATUTORY PERIOD FO CHEVER IS LONGER, FROM THE MA nsions of time may be available under the provisions of SIX (6) MONTHS from the mailing date of this commu- operiod for reply is specified above, the maximum stature to reply within the set or extended period for reply reply received by the Office later than three months af- ed patent term adjustment. See 37 CFR 1.704(b).	AILING DATE C of 37 CFR 1.136(a). In unication. tutory period will apply vill, by statute, cause t	OF THIS COMMUN in no event, however, may a rand will expire SIX (6) MO the application to become A	ICATION. reply be timely filed  NTHS from the mailing date of this co BANDONED (35 U.S.C. § 133).				
Status								
2a)	Responsive to communication(s) filed This action is <b>FINAL</b> . 2 Since this application is in condition for closed in accordance with the practice.	b)⊠ This actior or allowance ex	n is non-final. scept for formal mat	•	e merits is			
Dispositi	ion of Claims			•				
5)□ 6)⊠ 7)□ 8)□ <b>Applicat</b> i	Claim(s) 1-15 is/are pending in the ap 4a) Of the above claim(s) is/are Claim(s) is/are allowed.  Claim(s) 1-15 is/are rejected.  Claim(s) is/are objected to.  Claim(s) are subject to restrict ion Papers  The specification is objected to by the The drawing(s) filed on is/are:	e withdrawn from the withdrawn from and/or elected Examiner.	ion requirement.	by the Examiner.				
11)	Applicant may not request that any object Replacement drawing sheet(s) including The oath or declaration is objected to	the correction is r	required if the drawing	g(s) is objected to. See 37 CF	• •			
Priority :	ınder 35 U.S.C. § 119							
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  a) All b) Some * c) None of:  1. Certified copies of the priority documents have been received.  2. Certified copies of the priority documents have been received in Application No  3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).  * See the attached detailed Office action for a list of the certified copies not received.								
2) 🔲 Notic 3) 🔯 Infor	t(s) Le of References Cited (PTO-892) Le of Draftsperson's Patent Drawing Review (PT Le of Draftsperson's Patent Drawing Review (PT Le of Draftsperson's Patement(s) (PTO-1449 or F Le of No(s)/Mail Date 02/02, 07/03.		Paper No	Summary (PTO-413) (s)/Mail Date Informal Patent Application (PTC 	)-152)			

## **DETAILED ACTION**

This office action is in response to application filed on February 26, 2002. Original application contained Claims 1-15. Therefore, presently pending claims are 1-15.

## Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 1-15 are rejected under 35 U.S.C. 102(e) as being anticipated by Gutman et al. U. S. Patent 6,298,383.

1. Regarding Claim 1 Gutman teach and describe a distributed network (Fig. 6-8) which is registered with a unique domain name, said network comprising a number of clients and a number of authentication servers, said clients and said authentication servers being communicatively coupled to each other via a global telecommunication network, each of said

authentication servers having a fully qualified domain name which is a local host name with said unique domain name appended (col.4 line 20 to line 52),

a distributed authentication system, wherein a given user enters a global user identification (GUID) and a password for authentication to be carried out at a target authentication server, said GUID comprising a user name, a delimitation symbol, and a domain portion which is same as the local host name of said target authentication server (col.7 line 62 to col.8 line 35), said distributed authentication system comprising: means for parsing an entered GUID and extracting said domain portion therefrom; means for appending said unique domain to said domain portion to form a fully qualified domain name (formed FQDN); means for translating said FQDN to an Internet Protocol (IP) address representing said target authentication server; means for sending said user name and password to said target authentication server for authentication; and means for distributing and caching an authentication result (col.8 line 36 to col.9 line 54).

2. Regarding Claim 5 Gutman teach and describe a method for providing distributed authentication service (Fig. 6-13), wherein a given user enters a global user identification (GUID) and a password for authentication to be carried out at a target authentication server, said GUID comprising a user name, a delimitation symbol, and a domain portion which is same as the local host name of said target authentication server (col.7 line 62 to col.8 line 35), said method comprising the computer-implemented steps of: entering the user's GUID and password; parsing said entered GUID and extracting said domain portion from said GUID; appending a unique domain name to said domain portion to form a fully qualified domain name

(FQDN); looking up said FQDN in a domain name system (DNS) to obtain an address representing said target authentication server; sending said user name and password to said target authentication server for authentication; and distributing and caching an authentication result (col.7 line 62 to col.8 line 35).

3. Regarding Claim 7 Gutman teach and describe a distributed network which is registered with a unique domain name, said network (Fig. 6-8), comprising a number of clients and a number of authentication servers, said clients and said authentication servers being communicatively coupled to each other via a global telecommunications network, each of said authentication servers having a fully qualified domain name which is a local host name with said unique domain name appended (col.4 line 20 to line 52),

a method for providing distributed authentication service, wherein a given user enters a global user identification (GUID) and a password for authentication to be carried out at a target authentication server, said GUID comprising a user name, a delimitation symbol and a domain portion which is same as the local host name of said target authentication server (col.7 line 62 to col.8 line 35),

said method comprising the steps of: entering the user's GUID and password; parsing entered GUID and extracting said domain portion from said GUID; appending said unique domain name to said domain portion to form a fully qualified domain name (FQDN); checking a local list of registered fully qualified domain names (FQDN) to obtain an Internet Protocol (IP) address for said target authentication server, wherein each FQDN in said local list is mapped to a unique IP address; sending said user name and password to said target authentication server for

authentication; and distributing and caching an authentication result (col.8 line 36 to col.9 line 54).

4. Regarding Claim 9 Gutman teach and describe a distributed network which is registered with a unique domain name (Fig. 6-8), said network comprising a number of clients and a number of authentication servers, said clients and said authentication servers being communicatively coupled to each other via a global telecommunications network, each of said authentication servers having a fully qualified domain name which is a local host name with said unique domain name appended (col.4 line 20 to line 52),

a method for providing distributed authentication service, wherein a given user enters a global user identification (GUID) and a password for authentication to be carried out at a target authentication server, said GUID comprising a user name, a delimitation symbol and a domain portion which is same as the local host name of said target authentication server (col.7 line 62 to col.8 line 35),

said method comprising the computer-implemented steps of: entering the user's GUID and password; parsing said GUID and extracting said domain portion; appending said unique domain name to said domain portion to form a fully qualified domain name (FQDN) in said unique domain; checking a local list of registered fully qualified domain names (RFQDN) to obtain an Internet Protocol (IP) address for said target authentication server, wherein each RFQDN in said local list is mapped to a unique IP address; if said step of checking fails, looking up a domain name system (DNS) to obtain an Internet Protocol (IP) address representing said FQDN; sending said user name and password to said target authentication server for authentication; and

distributing and caching an authentication result (col.8 line 36 to col.9 line 54).

- 5. Regarding Claim 11 Gutman teach and describe a method for providing distributed authentication service (Fig. 6-13), wherein a given user enters a global user identification (GUID) and a password for authentication to be carried out at a target authentication server, said GUID comprising a user name, a delimitation symbol and said target authentication server's domain name (col.7 line 62 to col.8 line 35), said method comprising the steps of: entering the user's GUID and password; parsing said entered GUID and extracting said target authentication server's domain name; pre-pending said common local host name to said target authentication server's domain name to form a fully qualified domain name (FQDN); checking a local list of registered fully qualified domain names (RFQDN) to obtain an address for said target authentication server, wherein each RFQDN in said local is mapped to a unique address; sending said user name and password to said target authentication server for authentication; and distributing and caching an authentication result (col.8 line 36 to col.9 line 54).
- 6. Regarding Claim 14 Gutman teach and describe a distributed network comprising a number of clients and a number of authentication servers (Fig. 6-8), said clients and said authentication servers being communicatively coupled to each other via a global telecommunications network, each of said authentication servers having a fully qualified domain name which is a local host name with its domain name appended (col.4 line 20 to line 52),

a method for providing distributed authentication service, wherein a given user enters a global user identification (GUID) and a password for authentication to be carried out at a target authentication server, said GUID comprising a user name, a delimitation symbol and said target authentication server's domain name (col.7 line 62 to col.8 line 35), said method comprising the steps of: entering the user's GUID and password; parsing said entered GUID and extracting said target authentication server's domain name; checking a local list of domain names to obtain an Internet Protocol (IP) address for said target authentication server's IP address; sending said user name and password to said target authentication server for authentication; distributing and caching an authentication result (col.8 line 36 to col.9 line 54).

7. Regarding Claims 2-4, 6, 8, 10, 12-13, and 15 are rejected applied as above rejecting Claims 1, 5, 7, 9, 11, and 14. Furthermore, Gutman teach and describe a distributed authentication system, wherein:

As per Claim 2, further comprising: means for automatically mapping any unrecognized FQDN into a default server which carries out authentication on the user's authentication request (col. 9 line 32 to line 54).

As per Claim 3, said means for translating consults a domain name system (DNS) to obtain an Internet Protocol (IP) address representing said target authentication server (col.5 line 1 to line 37).

Application/Control Number: 10/086,104

Art Unit: 2131

As per Claim 4, said means for translating consults a local mapping list to obtain an Internet Protocol (IP) address representing said target authentication server (col.5 line 1 to line 17).

As per Claim 6, further comprising the steps of: if said step of looking up fails, automatically mapping an unrecognized FQDN into a default server which performs authentication on the user's authentication request (col.9 line 16 to col.10 line 11).

As per Claim 8, further comprising the step of: if said step of checking fails, automatically mapping an unrecognized FQDN into a default server which performs authentication on the user's authentication request (col.9 line 16 to col.10 line 11).

As per Claim 10, further comprising the step of: if said step of looking up fails, automatically mapping an unrecognized FQDN into a default server which performs authentication on the user's authentication request (col.9 line 16 to col.10 line 11).

As per Claim 12, further comprising the step of: if said step of checking fails, looking up said FQDN in a domain name system (DNS) to obtain an address representing said target authentication server (col.9 line 16 to col.10 line 11).

As per Claim 13, further comprising the steps of: if said step of looking up fails, automatically mapping an unrecognized FQDN into a default server which performs authentication on the user's authentication request (col.9 line 16 to col.10 line 11).

As per Claim 15, further comprising the step of: if said step of checking fails, automatically mapping an unrecognized domain name into a default server which performs authentication on the user's authentication request (col.9 line 16 to col.10 line 11).

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Syed Zia whose telephone number is 571-272-3798. The examiner can normally be reached on 9:00 to 5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ayaz Sheikh can be reached on 571-272-3795. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

November 28, 2005